



|   |  |  |  |
|---|--|--|--|
| 1 |  |  |  |
| 2 |  |  |  |

| No.  | Construction Risk | Maintenance Risk | Demolition Risk |
|--|-------------------|------------------|-----------------|
| In addition to the hazards/risks normally associated with the types of work detailed on this drawing take note of the above. |                   |                  |                 |

**SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION BOX**

- DRAWING NOTES**
- ALL DIMENSIONS SHOWN ARE IN METRES UNLESS OTHERWISE STATED AND LEVELS IN METRES ABOVE ORDNANCE DATUM.
  - DO NOT SCALE FROM THIS DRAWING. ALL DIMENSIONS MUST BE CHECKED/VERIFIED ON SITE.
  - ANY DISCREPANCIES NOTED ON SITE ARE TO BE REPORTED TO THE ENGINEER IMMEDIATELY.
  - THE LOCATIONS OF ANY KNOWN SERVICES SHOWN ON THIS DRAWING ARE APPROXIMATE AND FOR GUIDANCE ONLY. THE CONTRACTOR WILL CONFIRM THE LOCATION OF ANY SERVICES PRIOR TO THE COMMENCEMENT OF ANY WORKS.
  - THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION.
  - THE ELECTRONIC VERSION OF THIS DRAWING IS NOT TO BE USED FOR SETTING OUT.

**REFERENCE DRAWINGS**  
 19109-JBAI-XX-DR-C-02111 FLOOD DEFENCES VICTORIA COURT CROSS-SECTIONS

| FLOOD DEFENCE LEVEL - VICTORIA STREAM / WELL STREAM / WESTERN TRIBUTARY |                           |                      |                 |
|---|---------------------------|----------------------|-----------------|
| REPORTING POINT LOCATION  | 1% AEP FLOOD LEVEL (mAOD) | DEFENCE LEVEL (mAOD) | DEFENCE MEASURE |
| P2 (UPSTREAM OF SERVICE CROSSINGS ON VICTORIA STREAM)                   | 4.86                      | 6.97                 | WALL            |
| P7 (BOUNDARY WALLS ON VICTORIA STREAM)                                  | 4.76                      | 6.97                 | WALL            |

|       |      |          |       |    |          |    |         |     |          |     |
|-------|------|----------|-------|----|----------|----|---------|-----|----------|-----|
| Rev.: | Date | 24/06/24 | Drawn | PB | Designed | PB | Checked | MOD | Approved | MOD |
|-------|------|----------|-------|----|----------|----|---------|-----|----------|-----|

Client Approval

A - Approved  
 B - Approved with Revisions  
 C - Do Not Use

24 Grove Island  
 Corbally  
 Limerick  
 Ireland  
 V94 312N

T +353 (0)61 345 463  
 E info@jbaconsulting.com  
 www.jbaconsulting.com  
 Twitter @JBAConsulting

**Project**  
**KILKEE FLOOD RELIEF SCHEME**

**Title**  
 FLOOD DEFENCES VICTORIA COURT

**Client**  
 for  
 CLARE COUNTY COUNCIL

|                    |                          |             |           |            |            |
|--------------------|--------------------------|-------------|-----------|------------|------------|
| Drawn:             | PB                       | 24/06/2024  | Designed: | PB         | 24/06/2024 |
| Checked:           | MOD                      | 24/06/2024  | Approved: | MOD        | 24/06/2024 |
| Project Reference: | 2019s1431 / CGD          |             | Scale:    | 1:250 @ A1 |            |
| Drawing Number:    | 19109-JBAI-XX-DR-C-02106 | Status:     | A3        | Revision:  | C02        |
|                    |                          | Sheet Size: | A1        |            |            |

**NEW CULVERT UNDER CRESCENT PLACE (WELL STREAM), NEW FLOOD WALLS, WALL REPAIRS AND EMBANKMENT ALONG VICTORIA STREAM, LOCAL DRAINAGE DIVERSIONS**

© Ordnance Survey Ireland. All rights reserved.  
 Licence Number 2023/OSI\_NMA\_035 / Clare County Council.